

MLSSA SPO 4.0D #960903-3057-3075 for Pro Dance Praha
 Measured Data QC Limits

Line	Parameter	Value	Units
1	RMSE-free	3.10	Ohms
2	Fs	29.71	Hz
3	Re	6.28	Ohms[dc]
4	Res	139.69	Ohms
5	Qms	3.91	
6	Qes	0.18	
7	Qts	0.17	
8	L1	3.06	mH
9	L2	6.23	mH
10	R2	26.68	Ohms
11	RMSE-load	2.65	Ohms
12	Vas(Sd)	350.18	liters
13	Mms	317.93	grams
14	Cms	90	$\mu\text{M}/\text{Newton}$
15	B1	46.02	Tesla-M
16	SPLref(Sd)	99.0	dB[Re]
17	Rub-index	0.01	


Method: Mass-loaded (160.00 grams)

Area (Sd): 1661.90 sq cm

DCR mode: Measure (-0.26 ohms)

QC file: CLOSED


Analysis successful. Shift in Fs = -14.8% (-20% to -50% is recommended).



Level (55:499 Hz) = 96.12 dB SPL/watt (6 ohms, @1.20 meters)

PD PDN.2151-4

MLSSA: Frequency Domain



CURSOR: y = 6.41042e-005 x = 18.0840 (1644)

PD PDN.2151-4