

Sestava Fane Sovereign 12-300 + Selenium D220TI/16 OMF + Megaton A70/1260

Osazení:

- Fane Sovereign 12-300

<http://eshop.prodance.cz/detailpage.asp?DPG=91519>


- Selenium D220TI/16 OMF


<http://eshop.prodance.cz/detailpage.asp?DPG=90767>

- Megaton A70/1260

<http://eshop.prodance.cz/detailpage.asp?DPG=87810>

Konstrukce výhybky:






CURSOR: dy = -32.7802 x = 30007.1014 (2704)


FANE SOVEREIGN 12-300 + D220TI/16 OMF + A70/1260

MLSSA: Frequency Domain



CURSOR: dy = 2.2744e-006 x = 15.0040 (1364)


FANE SOVEREIGN 12-300 + D220TI/16 OMF + A70/1260



Level (78:2500 Hz) = 98.12 dB SPL/watt (8 ohms, @1.50 meters) (0.33 oct)


FANE SOVEREIGN 12-300 + D220TI/16 OMF + A70/1260

MLSSA: Frequency Domain



Overlay Compare: dev= +28/-12, std= 9.7, avg= -31


FANE SOVEREIGN 12-300 + D220TI/16 OMF + A70/1260



Overlay Compare: dev= +27/-10, std= 9.4, avg= -29


FANE SOVEREIGN 12-300 + D220TI/16 OMF + A70/1260

MLSSA: Frequency Domain




mean: 10.58, rms: 11.74, std: 5.095, max: 41.25, min: 6.312

FANE SOVEREIGN 12-300 + D220TI/16 OMF + A70/1260




-73.37 dB, 2486 Hz (56), 2.640 msec (25)

DTTO



mean: -0.0005047, rms: 0.00127, std: 0.001165, max: 0.006516, min: -0.002028


FANE SOVEREIGN 12-300 + D220TI/16 OMF + A70/1260



mean: 50.45, rms: 62.81, std: 37.41, max: 133.6, min: -5.516

FANE SOVEREIGN 12-300 + D220TI/16 OMF + A70/1260

MLSSA: Frequency Domain



mean: 98.70, rms: 99.02, std: 2.13, max: 101.85, min: 87.22

FANE SOVEREIGN 12-300 + D220TI/16 OMF + A70/1260