


Level (55:999 Hz) = 94.00 dB SPL/watt (8 ohms, @1.50 meters)

PD.185N02

MLSSA: Frequency Domain



CURSOR: y = -2.7596e-005 x = 14.0140 (1274)

PD.185N02

MLSSA: Time Domain

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	1.00	Ohms
2	Fs	33.83	Hz
3	Re	5.22	Ohms[dc]
4	Res	300.06	Ohms
5	Qms	14.23	
6	Qes	0.25	
7	Qts	0.24	
8	L1	1.59	mH
9	L2	2.33	mH
10	R2	8.03	Ohms
11	RMSE-load	0.57	Ohms
12	Vas(Sd)	222.46	liters
13	Mms	189.37	grams
14	Cms	117	μ M/Newton
15	B1	29.13	Tesla-M
16	SPLref(Sd)	97.2	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (150.00 grams)

Area (Sd): 1164.16 sq cm


DCR mode: Measure (-0.13 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -23.0% (-20% to -50% is recommended).

PD.185N02

MLSSA: Parameters



mean: 14.89, rms: 22.02, std: 16.92, max: 293.8, min: 5.32

MLSSA: Frequency Domain