

MLSSA SPO 4.0D #960903-3057-3075 for Jiri Komon  
 Measured Data QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.40	Ohms
2	Fs	33.31	Hz
3	Re	3.11	Ohms[dc]
4	Res	57.77	Ohms
5	Qms	8.31	
6	Qes	0.45	
7	Qts	0.43	
8	L1	0.74	mH
9	L2	1.15	mH
10	R2	4.29	Ohms
11	RMSE-load	0.25	Ohms
12	Vas(Sd)	256.00	liters
13	Mms	97.32	grams
14	Cms	235	$\mu$ M/Newton
15	B1	11.90	Tesla-M
16	SPLref(Sd)	95.1	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (120.00 grams)

Area (Sd): 881.41 sq cm


DCR mode: Measure (-0.13 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -28.8% (-20% to -50% is recommended).

COLOSSUS 15B-600 4/OHM - KONTROLA

MLSSA: Parameters



mean: 6.951, rms: 8.064, std: 4.088, max: 59.55, min: 3.258

MLSSA: Frequency Domain