


Level (100:1809 Hz) = 91.34 dB SPL/watt (4 ohms, @1.00 meters)

12NW100-4

MLSSA: Frequency Domain



-73.52 dB, 1465 Hz (33), 3.850 msec (36)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.47	Ohms
2	Fs	44.36	Hz
3	Re	3.66	Ohms[dc]
4	Res	76.82	Ohms
5	Qms	4.21	
6	Qes	0.20	
7	Qts	0.19	
8	L1	1.17	mH
9	L2	1.55	mH
10	R2	5.50	Ohms
11	RMSE-load	0.52	Ohms
12	Vas(Sd)	48.22	liters
13	Mms	105.72	grams
14	Cms	122	μ M/Newton
15	Bl	23.19	Tesla-M
16	SPLref(Sd)	95.0	dB[Re]
17	Rub-index	0.08	

Method: Mass-loaded (80.00 grams)

Area (Sd): 530.93 sq cm


DCR mode: Measure (-0.13 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -24.5% (-20% to -50% is recommended).

12NW100-4

MLSSA: Parameters



mean: 9.97, rms: 12.92, std: 8.219, max: 80.6, min: 3.874

MLSSA: Frequency Domain