


Level (67.799 Hz) = 85.87 dB SPL/watt (4 ohms, @1.00 meters)

12SW12A DVC 2+2ohm

MLSSA: Frequency Domain



mean: -1.532e-008, rms: 8.187e-005, std: 8.187e-005, max: 0.0004379, min: -0.0

12SW12A DVC 2+2ohm

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.52	Ohms
2	Fs	53.39	Hz
3	Re	3.37	Ohms[dc]
4	Res	41.47	Ohms
5	Qms	9.01	
6	Qes	0.73	
7	Qts	0.68	
8	L1	1.60	mH
9	L2	2.19	mH
10	R2	8.18	Ohms
11	RMSE-load	0.93	Ohms
12	Vas(Sd)	33.39	liters
13	Mms	97.60	grams
14	Cms	91	$\mu\text{M}/\text{Newton}$
15	B1	12.28	Tesla-M
16	SPLref(Sd)	90.2	dB[Re]
17	Rub-index	0.38	

Method: Mass-loaded (80.00 grams)

Area (Sd): 511.00 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -26.6% (-20% to -50% is recommended).

12SW12A DVC 2+2ohm

MLSSA: Parameters



mean: 11, rms: 11.91, std: 4.583, max: 45.14, min: 3.409

MLSSA: Frequency Domain