


Level (100:2996 Hz) = 96.39 dB SPL/watt (8 ohms, @1.50 meters)

15" NO NAME FROM TBOX PA-215

MLSSA: Frequency Domain



-73.31 dB, 1909 Hz (43), 2.860 msec (27)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.57	Ohms
2	Fs	37.79	Hz
3	Re	6.16	Ohms[dc]
4	Res	44.82	Ohms
5	Qms	4.10	
6	Qes	0.56	
7	Qts	0.49	
8	L1	0.68	mH
9	L2	1.47	mH
10	R2	7.56	Ohms
11	RMSE-load	0.74	Ohms
12	Vas(Sd)	267.33	liters
13	Mms	68.16	grams
14	Cms	260	$\mu\text{M}/\text{Newton}$
15	B1	13.31	Tesla-M
16	SPLref(Sd)	95.9	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (80.00 grams)

Area (Sd): 855.30 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -27.9% (-20% to -50% is recommended).

15" NO NAME FROM tBOX PA-215

MLSSA: Parameters



mean: 10.64, rms: 11.54, std: 4.445, max: 50.73, min: 6.269