

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	1.15	Ohms
2	Fs	44.55	Hz
3	Re	5.30	Ohms[dc]
4	Res	108.78	Ohms
5	Qms	5.26	
6	Qes	0.26	
7	Qts	0.24	
8	L1	0.45	mH
9	L2	1.26	mH
10	R2	6.69	Ohms
11	RMSE-load	0.41	Ohms
12	Vas(Sd)	155.99	liters
13	Mms	79.08	grams
14	Cms	161	$\mu\text{M}/\text{Newton}$
15	B1	21.39	Tesla-M
16	SPLref(Sd)	99.1	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (80.00 grams)

Area (Sd): 829.58 sq cm


DCR mode: Measure (-0.08 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -28.9% (-20% to -50% is recommended).

D.A.S. 15-B


MLSSA: Parameters



CURSOR: dy = -0.486527 x = 799.8057 (216)

DT10

MLSSA: Frequency Domain





---

Level (100:2996 Hz) = 100.87 dB SPL/watt (8 ohms, @1.50 meters)

---

D.A.S. 15B

MLSSA: Frequency Domain




---

mean: 1.7e-007, rms: 0.0002011, std: 0.0002011, max: 0.001391, min: -0.0009056

---

D.A.S. 15B