

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.31	Ohms
2	Fs	45.78	Hz
3	Re	7.31	Ohms[dc]
4	Res	34.42	Ohms
5	Qms	5.88	
6	Qes	1.25	
7	Qts	1.03	
8	L1	0.87	mH
9	L2	1.16	mH
10	R2	4.78	Ohms
11	RMSE-load	0.32	Ohms
12	Vas(Sd)	83.58	liters
13	Mms	48.95	grams
14	Cms	247	$\mu\text{M}/\text{Newton}$
15	B1	9.08	Tesla-M
16	SPLref(Sd)	89.9	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (40.00 grams)

Area (Sd): 490.87 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -25.7% (-20% to -50% is recommended).


DAP AUDIO MB-12

MLSSA: Parameters



mean: 10.81, rms: 11.27, std: 3.187, max: 41.97, min: 7.354


MLSSA: Frequency Domain



Level (67:4006 Hz) = 90.06 dB SPL/watt (8 ohms, 01.00 meters)

DAP AUDIO MB-12

MLSSA: Frequency Domain



-78.73 dB, 2441 Hz (55), 4.070 msec (38)