

MLSSA SPO 4.0D #960903-3057-3075

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.73	Ohms
2	Fs	35.43	Hz
3	Re	5.33	Ohms[dc]
4	Res	100.43	Ohms
5	Qms	8.09	
6	Qes	0.43	
7	Qts	0.41	
8	L1	0.53	mH
9	L2	1.27	mH
10	R2	5.96	Ohms
11	RMSE-load	0.40	Ohms
12	Vas(Sd)	459.68	liters
13	Mms	83.56	grams
14	Cms	241	$\mu\text{M}/\text{Newton}$
15	B1	15.20	Tesla-M
16	SPLref(Sd)	98.6	dB[Re]
17	Rub-index	0.02	

Method: Mass-loaded (160.00 grams)

Area (Sd): 1164.16 sq cm


DCR mode: Measure (-0.28 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -35.6% (-20% to -50% is recommended).


EV18B

MLSSA: Parameters



CURSOR: dy = 0.924973 x = 1000.9766 (1025)

MLSSA: Frequency Domain



Level (55:999 Hz) = 99.69 dB SPL/watt (8 ohms, @1.50 meters)

EV 18B