

Measured Data

QC Limits

| Line | Parameter  | Value  | Units                       |
|------|------------|--------|-----------------------------|
| 1    | RMSE-free  | 0.39   | Ohms                        |
| 2    | Fs         | 44.38  | Hz                          |
| 3    | Re         | 7.24   | Ohms[dc]                    |
| 4    | Res        | 30.89  | Ohms                        |
| 5    | Qms        | 3.68   |                             |
| 6    | Qes        | 0.86   |                             |
| 7    | Qts        | 0.70   |                             |
| 8    | L1         | 0.60   | mH                          |
| 9    | L2         | 1.08   | mH                          |
| 10   | R2         | 6.37   | Ohms                        |
| 11   | RMSE-load  | 0.71   | Ohms                        |
| 12   | Vas(Sd)    | 299.43 | liters                      |
| 13   | Mms        | 44.14  | grams                       |
| 14   | Cms        | 291    | $\mu\text{M}/\text{Newton}$ |
| 15   | B1         | 10.16  | Tesla-M                     |
| 16   | SPLref(Sd) | 96.6   | dB[Re]                      |
| 17   | Rub-index  | 0.06   |                             |


Method: Mass-loaded (80.00 grams)  
 DCR mode: Measure (-0.06 ohms)

Area (Sd): 855.30 sq cm  
 QC file: CLOSED

Analysis successful. Shift in Fs = -37.2% (-20% to -50% is recommended).

EMINENCE ME15-100

MLSSA: Parameters



mean: 10.57, rms: 11.09, std: 3.352, max: 38.26, min: 7.301

MLSSA: Frequency Domain