


Level (78:3995 Hz) = 92.00 dB SPL/watt (8 ohms, @1.00 meters)

IMG SP-300PA

MLSSA: Frequency Domain



-73.70 dB, 2797 Hz (63), 3.300 msec (31)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.22	Ohms
2	Fs	50.64	Hz
3	Re	7.10	Ohms[dc]
4	Res	28.43	Ohms
5	Qms	4.39	
6	Qes	1.10	
7	Qts	0.88	
8	L1	0.75	mH
9	L2	1.23	mH
10	R2	4.67	Ohms
11	RMSE-load	0.55	Ohms
12	Vas(Sd)	86.86	liters
13	Mms	45.02	grams
14	Cms	219	$\mu\text{M}/\text{Newton}$
15	B1	9.64	Tesla-M
16	SPLref(Sd)	92.0	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (80.00 grams)

Area (Sd): 530.93 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -35.7% (-20% to -50% is recommended).

IMG SP-300PA

MLSSA: Parameters



mean: 10.52, rms: 10.95, std: 3.027, max: 35.8, min: 7.134

MLSSA: Frequency Domain