


Level (100:2785 Hz) = 98.45 dB SPL/watt (8 ohms, @1.50 meters)

L15S801

MLSSA: Frequency Domain



-73.45 dB, 1864 Hz (42), 3.520 msec (33)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.90	Ohms
2	Fs	51.48	Hz
3	Re	6.15	Ohms[dc]
4	Res	162.49	Ohms
5	Qms	6.67	
6	Qes	0.25	
7	Qts	0.24	
8	L1	1.11	mH
9	L2	2.84	mH
10	R2	7.43	Ohms
11	RMSE-load	1.01	Ohms
12	Vas(Sd)	108.32	liters
13	Mms	90.65	grams
14	Cms	105	μ M/Newton
15	B1	26.73	Tesla-M
16	SPLref(Sd)	99.5	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (140.00 grams)

Area (Sd): 855.30 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -36.7% (-20% to -50% is recommended).

L15S801

MLSSA: Parameters



mean: 14.77, rms: 21.3, std: 15.35, max: 168.2, min: 6.176

MLSSA: Frequency Domain