

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.92	Ohms
2	Fs	40.66	Hz
3	Re	5.10	Ohms[dc]
4	Res	143.27	Ohms
5	Qms	8.77	
6	Qes	0.31	
7	Qts	0.30	
8	L1	0.64	mH
9	L2	2.46	mH
10	R2	19.72	Ohms
11	RMSE-load	1.01	Ohms
12	Vas(Sd)	148.95	liters
13	Mms	119.10	grams
14	Cms	129	$\mu\text{M}/\text{Newton}$
15	Bl	22.30	Tesla-M
16	SPLref(Sd)	96.9	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (120.00 grams)

Area (Sd): 907.92 sq cm


DCR mode: Measure (-0.08 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -29.4% (-20% to -50% is recommended).


RCF LF15N401

MLSSA: Parameters



mean: 13.34, rms: 17.25, std: 10.93, max: 147.5, min: 5.214


MLSSA: Frequency Domain



Level (100:1853 Hz) = 95.27 dB SPL/watt (8 ohms, @1.50 meters)

RCF LF15N401

MLSSA: Frequency Domain



-78.45 dB, 977 Hz (22), 3.740 msec (35)