


CURSOR: $dy = -28.9504$ $x = 30007.1014$ (2704)


15C02P

MLSSA: Frequency Domain



CURSOR: $dy = 3.92758e-005$ $x = 10.1860$ (926)


15C02P



Level (100:4506 Hz) = 99.94 dB SPL/watt (8 ohms, @1.50 meters)

15C02P

MLSSA: Frequency Domain



-69.43 dB, 1953 Hz (44), 4.400 msec (41)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.33	Ohms
2	Fs	53.98	Hz
3	Re	5.58	Ohms[dc]
4	Res	23.36	Ohms
5	Qms	3.21	
6	Qes	0.77	
7	Qts	0.62	
8	L1	0.56	mH
9	L2	0.76	mH
10	R2	3.44	Ohms
11	RMSE-load	0.44	Ohms
12	Vas(Sd)	134.12	liters
13	Mms	55.38	grams
14	Cms	157	μ M/Newton
15	Bl	11.69	Tesla-M
16	SPLref(Sd)	96.2	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (70.00 grams)

Area (Sd): 780.00 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -30.6% (-20% to -50% is recommended).

15C02P


MLSSA: Parameters



mean: 8.186, rms: 8.668, std: 2.85, max: 28.8, min: 5.642

DTTO


MLSSA: Frequency Domain




Level (699:17001 Hz) = 102.72 dB SPL/watt (8 ohms, @1.50 meters)

15C02P

MLSSA: Frequency Domain




-69.70 dB, 2885 Hz (65), 3.520 msec (33)



CURSOR: $dy = -29.6268$ $x = 30007.1014$ (2704)


15C02P

MLSSA: Frequency Domain



CURSOR: $dy = -0.000201407$ $x = 13.3870$ (1217)


15C02P



Level (67:17001 Hz) = 97.14 dB SPL/watt (8 ohms, @1.50 meters) (0.33 oct)


15C02P

MLSSA: Frequency Domain




mean: -0.0004395, rms: 0.001531, std: 0.001466, max: 0.006618, min: -0.002214

15C02P




-74.31 dB, 1953 Hz (44), 4.400 msec (41)

DTTO



mean: -201.2, rms: 208.5, std: 54.9, max: -40.62, min: -295.9


15C02P



Level (67:17001 Hz) = 97.16 dB SPL/watt (8 ohms, @1.50 meters)

15C02P

MLSSA: Frequency Domain



mean: 12.72, rms: 12.85, std: 1.864, max: 20.95, min: 6.09

15C02P