

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.85	Ohms
2	Fs	40.67	Hz
3	Re	5.89	Ohms[dc]
4	Res	215.32	Ohms
5	Qms	13.22	
6	Qes	0.36	
7	Qts	0.35	
8	L1	3.26	mH
9	L2	2.52	mH
10	R2	9.64	Ohms
11	RMSE-load	1.04	Ohms
12	Vas(Sd)	93.60	liters
13	Mms	158.18	grams
14	Cms	97	$\mu\text{M}/\text{Newton}$
15	B1	25.65	Tesla-M
16	SPLref(Sd)	94.2	dB[Re]
17	Rub-index	0.02	

Method: Mass-loaded (140.00 grams)

Area (Sd): 829.58 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -26.7% (-20% to -50% is recommended).

SELENIUM 15SW2P


MLSSA: Parameters



mean: 18.62, rms: 23.33, std: 14.06, max: 217, min: 5.918

DTTO


MLSSA: Frequency Domain



Level (100:1254 Hz) = 91.44 dB SPL/watt (8 ohms, @1.50 meters)

SELENIUM 15SW2P

MLSSA: Frequency Domain



mean: -2.083e-006, rms: 4.009e-005, std: 4.003e-005, max: 0.0002305, min: -7.2
