


Level (55:1210 Hz) = 80.53 dB SPL/watt (4 ohms, @1.00 meters)

8SW11A

MLSSA: Frequency Domain



-82.84 dB, 1110 Hz (25), 3.740 msec (35)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.72	Ohms
2	Fs	37.98	Hz
3	Re	3.08	Ohms[dc]
4	Res	62.12	Ohms
5	Qms	13.00	
6	Qes	0.64	
7	Qts	0.61	
8	L1	1.19	mH
9	L2	1.45	mH
10	R2	8.25	Ohms
11	RMSE-load	0.73	Ohms
12	Vas(Sd)	25.61	liters
13	Mms	44.02	grams
14	Cms	399	μ M/Newton
15	Bl	7.08	Tesla-M
16	SPLref(Sd)	85.2	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (30.00 grams)

Area (Sd): 213.82 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -21.6% (-20% to -50% is recommended).

8SW11A

MLSSA: Parameters



mean: 9.032, rms: 10.09, std: 4.497, max: 64.38, min: 3.164

MLSSA: Frequency Domain