

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	1.04	Ohms
2	Fs	42.06	Hz
3	Re	5.75	Ohms[dc]
4	Res	168.46	Ohms
5	Qms	15.16	
6	Qes	0.52	
7	Qts	0.50	
8	L1	0.59	mH
9	L2	1.77	mH
10	R2	13.06	Ohms
11	RMSE-load	1.05	Ohms
12	Vas(Sd)	250.76	liters
13	Mms	120.43	grams
14	Cms	119	$\mu\text{M}/\text{Newton}$
15	B1	18.81	Tesla-M
16	SPLref(Sd)	97.4	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (120.00 grams)

Area (Sd): 1225.42 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -28.6% (-20% to -50% is recommended).

SELENIUM WPU1809


MLSSA: Parameters



mean: 11.5, rms: 15.18, std: 9.917, max: 168.2, min: 5.786

DTTO


MLSSA: Frequency Domain



Level (55:2996 Hz) = 98.29 dB SPL/watt (8 ohms, @1.50 meters)

SELENIUM WPU1809

MLSSA: Frequency Domain



-73.53 dB, 1287 Hz (29), 4.290 msec (40)