

MLSSA SPO 4.W #960903-3057-3075

Measured Data				QC Limits
Line	Parameter	Value	Units	
1	RMSE-free	0.81	Ohms	
2	Fs	44.68	Hz	
3	Re	5.93	Ohms[dc]	
4	Res	102.91	Ohms	
5	Qms	9.31		
6	Qes	0.54		
7	Qts	0.51		
8	L1	0.61	mH	
9	L2	1.92	mH	
10	R2	9.63	Ohms	
11	RMSE-load	0.54	Ohms	
12	Vas(Sd)	162.79	liters	
13	Mms	140.80	grams	
14	Cms	90	$\mu\text{M}/\text{Newton}$	
15	B1	20.90	Tesla-M	
16	SPLref(Sd)	96.2	dB[Re]	
17	Rub-index	0.01		


Method: Mass-loaded (160.00 grams)  
 DCR mode: Measure (-0.27 ohms)

Area (Sd): 1134.11 sq cm  
 QC file: CLOSED

Analysis successful. Shift in Fs = -28.8% (-20% to -50% is recommended).

BEYMA 18G400

MLSSA: Parameters




---

Level (55.999 Hz) = 98.32 dB SPL/watt (8 ohms, @1.50 meters)

---

BEYMA 18G400