

MLSSA SPO 4.0D #960903-3057-3075 for Pro Dance Praha
 Measured Data QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.71	Ohms
2	Fs	39.50	Hz
3	Re	5.67	Ohms[dc]
4	Res	40.91	Ohms
5	Qms	3.66	
6	Qes	0.51	
7	Qts	0.45	
8	L1	-0.96	mH
9	L2	2.02	mH
10	R2	56.24	Ohms
11	RMSE-load	0.40	Ohms
12	Vas(Sd)	411.98	liters
13	Mms	91.86	grams
14	Cms	177	$\mu\text{M}/\text{Newton}$
15	B1	15.97	Tesla-M
16	SPLref(Sd)	98.8	dB[Re]
17	Rub-index	0.03	

Method: Mass-loaded (100.00 grams)

Area (Sd): 1288.25 sq cm


DCR mode: Measure (-0.27 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -28.7% (-20% to -50% is recommended).

B and C 18PE46 8 ohm

MLSSA: Parameters



Level (55:999 Hz) = 99.06 dB SPL/watt (8 ohms, @1.50 meters)

B&C 18PE46

MLSSA: Frequency Domain