

Measured Data

QC Limits

| Line | Parameter  | Value  | Units                       |
|------|------------|--------|-----------------------------|
| 1    | RMSE-free  | 1.06   | Ohms                        |
| 2    | Fs         | 31.53  | Hz                          |
| 3    | Re         | 5.29   | Ohms[dc]                    |
| 4    | Res        | 76.98  | Ohms                        |
| 5    | Qms        | 4.28   |                             |
| 6    | Qes        | 0.29   |                             |
| 7    | Qts        | 0.28   |                             |
| 8    | L1         | 1.38   | mH                          |
| 9    | L2         | 2.14   | mH                          |
| 10   | R2         | 9.09   | Ohms                        |
| 11   | RMSE-load  | 1.52   | Ohms                        |
| 12   | Vas(Sd)    | 412.01 | liters                      |
| 13   | Mms        | 114.90 | grams                       |
| 14   | Cms        | 222    | $\mu\text{M}/\text{Newton}$ |
| 15   | B1         | 20.24  | Tesla-M                     |
| 16   | SPLref(Sd) | 98.3   | dB[Re]                      |
| 17   | Rub-index  | 0.35   |                             |

Method: Mass-loaded (100.00 grams)

Area (Sd): 1150.00 sq cm


DCR mode: Measure (-0.27 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -21.4% (-20% to -50% is recommended).

PD184 8 ohm

MLSSA: Parameters



Level (55:999 Hz) = 96.18 dB SPL/watt (8 ohms, @1.50 meters)

P.D.184

MLSSA: Frequency Domain