


Level (55:3007 Hz) = 95.87 dB SPL/watt (8 ohms, @1.50 meters)

WF-380PA-B 15" FROM IMG MAB-15P

MLSSA: Frequency Domain



-73.96 dB, 2042 Hz (46), 4.510 msec (42)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.55	Ohms
2	Fs	31.99	Hz
3	Re	7.10	Ohms[dc]
4	Res	53.70	Ohms
5	Qms	5.21	
6	Qes	0.69	
7	Qts	0.61	
8	L1	0.60	mH
9	L2	1.19	mH
10	R2	6.73	Ohms
11	RMSE-load	0.61	Ohms
12	Vas(Sd)	279.15	liters
13	Mms	85.68	grams
14	Cms	289	$\mu\text{M}/\text{Newton}$
15	Bl	13.32	Tesla-M
16	SPLref(Sd)	93.1	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (80.00 grams)

Area (Sd): 829.58 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -26.6% (-20% to -50% is recommended).

WF-380PA-B 15" FROM IMG MAB-15P

MLSSA: Parameters



mean: 10.77, rms: 11.65, std: 4.438, max: 60.73, min: 7.131