

mean: 10.85, rms: 14.05, std: 8.916, max: 85.65, min: 5.599

B+C 12PL3Z Bohm

MLSSA: Frequency Domain

MLSSA SPO 4.0D #960903-3057-3075

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.65	Ohms
2	Fs	62.04	Hz
3	Re	5.31	Ohms[dc]
4	Res	79.96	Ohms
5	Qms	5.39	
6	Qes	0.36	
7	Qts	0.34	
8	L1	0.68	mH
9	L2	1.29	mH
10	R2	5.97	Ohms
11	RMSE-load	0.37	Ohms
12	Vas(Sd)	62.89	liters
13	Mms	41.43	grams
14	Cms	159	$\mu\text{M}/\text{Newton}$
15	B1	15.48	Tesla-M
16	SPLref(Sd)	98.1	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (29.00 grams)


Area (Sd): 530.93 sq cm

DCR mode: Measure (-0.26 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -22.6% (-20% to -50% is recommended).

MLSSA: Parameters




---

Level (100:3007 Hz) = 98.03 dB SPL/watt (8 ohms, @1.00 meters)

---

12PL32