


Level (100:2297 Hz) = 93.55 dB SPL/watt (4 ohms, @1.50 meters)

15PS100-4

MLSSA: Frequency Domain



-74.13 dB, 1909 Hz (43), 2.970 msec (28)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.40	Ohms
2	Fs	43.15	Hz
3	Re	3.98	Ohms[dc]
4	Res	56.44	Ohms
5	Qms	5.90	
6	Qes	0.42	
7	Qts	0.39	
8	L1	1.08	mH
9	L2	1.30	mH
10	R2	4.74	Ohms
11	RMSE-load	0.57	Ohms
12	Vas(Sd)	124.50	liters
13	Mms	119.24	grams
14	Cms	114	μ M/Newton
15	Bl	17.58	Tesla-M
16	SPLref(Sd)	95.6	dB[Re]
17	Rub-index	0.03	

Method: Mass-loaded (80.00 grams)

Area (Sd): 881.41 sq cm


DCR mode: Measure (-0.13 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -20.7% (-20% to -50% is recommended).

15PS100-4

MLSSA: Parameters



mean: 8.824, rms: 10.22, std: 5.163, max: 60.21, min: 4.131

MLSSA: Frequency Domain