


Level (100:2297 Hz) = 94.68 dB SPL/watt (4 ohms, @1.50 meters)

15P2B100-4

MLSSA: Frequency Domain



-74.12 dB, 1998 Hz (45), 3.850 msec (36)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.46	Ohms
2	Fs	49.41	Hz
3	Re	3.99	Ohms[dc]
4	Res	95.92	Ohms
5	Qms	8.38	
6	Qes	0.35	
7	Qts	0.33	
8	L1	0.94	mH
9	L2	1.43	mH
10	R2	5.54	Ohms
11	RMSE-load	0.55	Ohms
12	Vas(Sd)	82.99	liters
13	Mms	136.42	grams
14	Cms	76	$\mu$ M/Newton
15	B1	22.02	Tesla-M
16	SPLref(Sd)	96.4	dB[Re]
17	Rub-index	0.05	

Method: Mass-loaded (80.00 grams)

Area (Sd): 881.41 sq cm


DCR mode: Measure (-0.13 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -22.0% (-20% to -50% is recommended).

15PZB100-4

MLSSA: Parameters



mean: 9.357, rms: 12.33, std: 8.036, max: 98.95, min: 4.164

MLSSA: Frequency Domain