

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.69	Ohms
2	Fs	39.77	Hz
3	Re	5.61	Ohms[dc]
4	Res	76.33	Ohms
5	Qms	4.02	
6	Qes	0.30	
7	Qts	0.28	
8	L1	0.65	mH
9	L2	1.66	mH
10	R2	9.68	Ohms
11	RMSE-load	0.63	Ohms
12	Vas(Sd)	207.35	liters
13	Mms	79.34	grams
14	Cms	202	$\mu\text{M}/\text{Newton}$
15	Bl	19.40	Tesla-M
16	SPLref(Sd)	98.3	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (80.00 grams)

Area (Sd): 855.30 sq cm


DCR mode: Measure (-0.10 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -28.8% (-20% to -50% is recommended).


CR15MB

MLSSA: Parameters



mean: 11.48, rms: 13.92, std: 7.877, max: 81.98, min: 5.711

MLSSA: Frequency Domain



Level (100:2996 Hz) = 98.23 dB SPL/watt (8 ohms, @1.50 meters)

FANE CR.15MB