


Level (100:1653 Hz) = 93.96 dB SPL/watt (8 ohms, @1.00 meters)

DAS 12GNR

MLSSA: Frequency Domain



-73.79 dB, 1554 Hz (35), 4.180 msec (39)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	2.00	Ohms
2	Fs	42.14	Hz
3	Re	5.33	Ohms[dc]
4	Res	175.52	Ohms
5	Qms	8.79	
6	Qes	0.27	
7	Qts	0.26	
8	L1	1.27	mH
9	L2	1.95	mH
10	R2	3.93	Ohms
11	RMSE-load	1.04	Ohms
12	Vas(Sd)	102.31	liters
13	Mms	57.11	grams
14	Cms	250	μM/Newton
15	B1	17.37	Tesla-M
16	SPLref(Sd)	96.4	dB[Re]
17	Rub-index	0.03	

Method: Mass-loaded (80.00 grams)

Area (Sd): 540.00 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -30.5% (-20% to -50% is recommended).

DAS 12GNR

MLSSA: Parameters



mean: 11.54, rms: 17.86, std: 13.63, max: 183.5, min: 5.363

DTTO

MLSSA: Frequency Domain