

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.29	Ohms
2	Fs	40.11	Hz
3	Re	5.70	Ohms[dc]
4	Res	23.79	Ohms
5	Qms	6.15	
6	Qes	1.47	
7	Qts	1.19	
8	L1	0.64	mH
9	L2	0.69	mH
10	R2	3.64	Ohms
11	RMSE-load	0.28	Ohms
12	Vas(Sd)	255.05	liters
13	Mms	63.42	grams
14	Cms	248	$\mu\text{M}/\text{Newton}$
15	Bl	7.87	Tesla-M
16	SPLref(Sd)	92.3	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (60.00 grams)

Area (Sd): 855.30 sq cm


DCR mode: Measure (-0.08 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -26.7% (-20% to -50% is recommended).


ALPHA-15A

MLSSA: Parameters



CURSOR: dy = -0.203568 x = 1000.9766 (1025)

MLSSA: Frequency Domain





---

Level (100:3496 Hz) = 98.95 dB SPL/watt (8 ohms, @1.50 meters)

---


ALPHA-15A



Level (100:1498 Hz) = 95.11 dB SPL/watt (8 ohms, @1.50 meters)

ALPHA-15A

MLSSA: Frequency Domain



-69.44 dB, 2042 Hz (46), 3.410 msec (32)