

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.75	Ohms
2	Fs	28.23	Hz
3	Re	5.15	Ohms[dc]
4	Res	223.52	Ohms
5	Qms	11.34	
6	Qes	0.26	
7	Qts	0.26	
8	L1	0.51	mH
9	L2	1.27	mH
10	R2	8.17	Ohms
11	RMSE-load	0.90	Ohms
12	Vas(Sd)	475.63	liters
13	Mms	68.66	grams
14	Cms	463	$\mu\text{M}/\text{Newton}$
15	B1	15.50	Tesla-M
16	SPLref(Sd)	98.0	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (80.00 grams)

Area (Sd): 855.30 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -29.9% (-20% to -50% is recommended).


EMINENCE ME15-300

MLSSA: Parameters



CURSOR: dy = -0.928695 x = 1000.9766 (1025)

MLSSA: Frequency Domain



Level (100:3507 Hz) = 99.41 dB SPL/watt (8 ohms, @1.50 meters)

EMINENCE ME15-300

MLSSA: Frequency Domain