


Level (100:1498 Hz) = 95.19 dB SPL/watt (8 ohms, @1.50 meters)

COLOSSUS 15XB

MLSSA: Frequency Domain



-79.44 dB, 1154 Hz (26), 4.510 msec (42)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.84	Ohms
2	Fs	48.14	Hz
3	Re	6.61	Ohms[dc]
4	Res	175.96	Ohms
5	Qms	10.98	
6	Qes	0.41	
7	Qts	0.40	
8	L1	1.34	mH
9	L2	1.96	mH
10	R2	5.87	Ohms
11	RMSE-load	0.93	Ohms
12	Vas(Sd)	105.66	liters
13	Mms	106.30	grams
14	Cms	103	$\mu\text{M}/\text{Newton}$
15	B1	22.70	Tesla-M
16	SPLref(Sd)	96.4	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (80.00 grams)

Area (Sd): 855.30 sq cm


DCR mode: Measure (-0.08 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -21.5% (-20% to -50% is recommended).

COLOSSUS 15XB

MLSSA: Parameters



mean: 13.56, rms: 18.76, std: 12.96, max: 180.7, min: 6.758

MLSSA: Frequency Domain