

MLSSA SPO 4.0D #960903-3057-3075

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.74	Ohms
2	Fs	36.37	Hz
3	Re	6.38	Ohms[dc]
4	Res	103.30	Ohms
5	Qms	7.95	
6	Qes	0.49	
7	Qts	0.46	
8	L1	0.65	mH
9	L2	1.56	mH
10	R2	9.84	Ohms
11	RMSE-load	0.91	Ohms
12	Vas(Sd)	320.92	liters
13	Mms	113.59	grams
14	Cms	169	$\mu\text{M}/\text{Newton}$
15	B1	18.37	Tesla-M
16	SPLref(Sd)	96.8	dB[Re]
17	Rub-index	0.00	


Method: Mass-loaded (60.00 grams)

Area (Sd): 1164.16 sq cm

DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -18.0% (-20% to -50% is recommended).




Level (55:999 Hz) = 96.69 dB SPL/watt (8 ohms, @1.50 meters)

P.D. 2500

1-2-82 10:48 PM

MLSSA: Frequency Domain



CURSOR: y = 1.57195e-005 x = 13.0900 (1190)

P.D. 2500